Transmission of Viruses in Droplets and Aerosols

LINSEY C. MARR CHARLES P. LUNSFORD PROFESSOR CIVIL AND ENVIRONMENTAL ENGINEERING VIRGINIA TECH

20 MARCH 2020



Topics

- 1. Respiratory viruses
- 2. Transmission modes
- 3. Size distributions and evaporation
- 4. Virus aerosol dynamics
- 5. Impact of humidity
- 6. SARS-CoV-2



Viruses that infect the upper respiratory tract

Otitis media

Rhinovirus Coronavirus Influenza virus Parainfluenza virus Respiratory Syncytial virus Herpesvirus Adenovirus Bocavirus Coxsackivirus

Viruses that infect the lower respiratory tract

Influenza virus Parainfluenza virus Respiratory Syncytial virus Adenovirus Bocavirus Metapneumovirus

Linsey Marr, Virginia Tech, March 2020

https://www.intechopen.com/books/respiratory-disease-and-infection-a-new-insight/pathogenesis-of-viral-respiratory-infection





https://www.cdc.gov/flu/resource-center/freeresource/gyapalaios/vingiges.Tech, https://phil.cdc.gov/Details.aspx?pid=23312, https://pdb101.rcsb.org/motm/132

Size Matters

• Airborne virus is not naked!





• Size determines

- Lifetime in the atmosphere
- Where it deposits in the respiratory system

Modes of Transmission



direct contact



indirect contact

Defined by medical community as >5 µm and happening at close-range only (<2 m)







aerosols

Defined by medical community as <5 µm and happening at long-range only (>2 m)

Linsey Marr, Virginia Tech, March 2020

http://www.phac-aspc.gc.ca/cpip-pclcpi/annf/v2-eng.php



Linsey Marr, Virginia Tech, March 2020

Tellier et al., 2019, BMC Infect. Dis, https://bmcinfectdis.biomedcentral.com/articles/10.1186/s12879-019-3707-y

Droplets that are expelled into air can be inhaled, land on people's mucus membranes, or deposit onto surfaces, where someone can touch them or they can be resuspended into air.

What size are these droplets?

Size Distributions: Breathing



Size Distributions: Speaking



Linsey Marr, Virginia Tech, March 2020 Johnson et al., 2011, *J. Aerosol Sci.*, https://www.sciencedirect.com/science/article/pii/S0021850211001200

Measured by

Size Distributions: Coughing



Linsey Marr, Virginia Tech, March 2020 Johnson et al., 2011, *J. Aerosol Sci.*, https://www.sciencedirect.com/science/article/pii/S0021850211001200

Corrected Size Distributions



Linsey Marr, Virginia Tech, March 2020

Johnson et al., 2011, J. Aerosol Sci., https://www.sciencedirect.com/science/article/pii/S0021850211001200

Breathing, talking, and coughing release droplets that range from submicron to millimeter in size.

What size droplets carry viruses?

Virus Detection Methods

1. Total virus

- Number of genome copies (GC) determined by molecular techniques (quantitative polymerase chain reaction, qPCR)
- Reflects number of viruses with intact DNA or RNA
- Does NOT indicate whether virus is infectious or not

AN INFLUENZA VIRUS





Hemagglutinin



Neuraminidas



M2 ion channel



RNA is wrapped around the ribonucleoprotein

https://www.cdc.gov/flu/resource-center/freeresources/graphics/images.htm

Virus Detection Methods

2. Infectious virus

- Number of viruses that are able to infect cells determined by culture (growing)
- PFU = plaque forming units, number of viruses capable of forming plaques on host cells, focus forming units (FFU) are related



 TCID₅₀ = median tissue culture infectious dose, concentration at which half of cells are infected after being exposed to the sample

Relationship Between the Two Methods for Flu Virus



There is a weak, but significant, correlation between virus RNA copies and infectious virus.

Linsey Marr, Virginia Tech, March 2020

Yan et al., 2018, PNAS, https://www.ncbi.nlm.nih.gov/pubmed/29348203

Amount of Flu Virus in Coarse vs. Fine Droplets (Particles) in Exhaled Breath



Figure 1. Influenza virus copy number in aerosol particles exhaled by patients with and without wearing of an ear-loop surgical mask. Counts below the limit of detection are represented as 0.5 on the log scale. doi:10.1371/journal.ppat.1003205.g001

Linsey Marr, Virginia Tech, March 2020

Milton et al., 2013, PLoS Pathogens, https://www.ncbi.nlm.nih.gov/pubmed/23505369

Flu Virus in Droplets (Aerosols)



The majority of flu virus (RNA copies) is found in fine (<5 μ m), rather than coarse (>5 μ m), droplets/aerosols.

How do these droplets move around the indoor environment?





Linsey Marr, Virginia Tech, March 2020

Mikhailov, 2004, Atmos. Chem. Phys., https://www.atmos-chem-phys.net/4/323/2004/



- Settling velocity v depends on diameter d
- Diameter depends on RH
- Inactivation rate k depends on RH





Virus Viability vs. RH



Virus-Aerosols From a Cough $\lambda = 1 \text{ ACH at RH} = 50\%$



There is a size shift due to loss of larger droplets by gravitational settling.

Infectious Concentrations vs. RH



Concentrations are higher at lower RH mainly because labdetermined <u>inactivation rate</u> is lower.

Linsey Marr, Virginia Tech, March 2020

RH and Removal Mechanisms

- Settling: main removal mechanism, efficient for large but not small droplets
- Ventilation: effective for all sizes, important in public places
- Inactivation: effective for all sizes, important for small droplets



Virus Viability vs. RH



Linsey Marr, Virginia Tech, March 2020 Yang and Marr, 2011, *PLoS One*, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3123350/ Viruses can be removed from indoor air by settling, ventilation, and inactivation; some of these processes are depend on humidity.

Might humidity factor into the seasonality of the flu?

Seasonality of the Flu







Linsey Marr, Virginia Tech, March 2020

Tamerius et al., 2011, EHP, https://ehp.niehs.nih.gov/doi/10.1289/ehp.1002383

How Might RH Affect Transmission?





Chemistry





Linsey Marr, Virginia Tech, March 2020

Does RH Contribute to Seasonality?

Low RH

Wintertime indoor air



Smaller aerosols and no inactivation ⇒ FLU SEASON!

Medium RH

Spring, summer, and fall



Small aerosols and highly concentrated solutes?

Very high RH

Rainy season in tropical regions



Contact transmission from large droplets that have settled?

What do we know about SARS-CoV-2 in droplets/aerosols?

Epidemiological Comparison of Respiratory Viral Infections

Disease	Flu	COVID-19	SARS	MERS
Disease Causing Pathogen	Influenza virus	SARS-CoV-2	SARS-CoV	MERS-CoV
R₀ Basic Reproductive Number CFR Case Fatality Rate Incubation Time	1.3 0.05 - 0.1% 1 - 4 days	2.0 - 2.5 * ~3.4% * 4 - 14 days *	3 9.6 - 11% 2 - 7 days	0.3 - 0.8 34.4% 6 days
Hospitalization Rate Community Attack Rate	2% 10 - 20%	~19% * 30 - 40% *	Most cases 10 - 60%	Most cases 4 - 13%
Annual Infected (global) Annual Infected (US) Annual Deaths (US)	~ 1 billion 10 - 45 million 10,000 - 61,000	N/A (ongoing) N/A (ongoing) N/A (ongoing)	8098 (in 2003) 8 (in 2003) None (since 2003)	420 2 (in 2014) None (since 2014)

* COVID-19 data as of March 2020.

https://twitter.com/VirusesImmunity/status/1238475009712160769





Linsey Marr, Virginia Tech, March 2020

Ong et al., 2020, JAMA, https://jamanetwork.com/journals/jama/fullarticle/2762692

SARS-CoV-2 Size Distributions



Linsey Marr, Virginia Tech, March 2020 Liu et al., 2020, preprint, https://doi.org/10.1101/2020.03.08.982637

SARS-CoV-2 Survival in Aerosols





Linsey Marr, Virginia Tech, March 2020

van Doremalen et al., 2020, NEJM, https://www.nejm.org/doi/full/10.1056/NEJMc2004973

Major Unknowns

- Which transmission route is dominant: direct contact, indirect contact with contaminated objects (fomites), inhalation of aerosols, deposition of droplets?
- How are viruses inactivated in air and on surfaces?
- How much virus is released in what size aerosols at different stages of infection?
- How well does SARS-CoV-2 survive in aerosols under real-world conditions?

Acknowledgments

Karen Kormuth Seema Lakdawala Weinan Leng Kaisen Lin AJ Prussin II Elankumaran Subbiah Eric Vejerano Peter Vikesland Haoran Wei Wan Yang

NIH DIRECTOR'S

NEW INNOVATOR

AWARD









CENT | Center for the Environmental Implications of NanoTechnology

Linsey Marr, Virginia Tech, March 2020



